

兔抗 ABCB9 多克隆抗体

中文名称：兔抗 ABCB9 多克隆抗体

英文名称：Anti-ABCB9 rabbit polyclonal antibody

别名：TAPL, EST122234

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：ABCB9

反应种属：Human

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:

The membrane-associated protein encoded by this gene is a member of the superfamily of ATP-binding cassette (ABC) transporters. ABC proteins transport various molecules across extra- and intra-cellular membranes. ABC genes are divided into seven distinct subfamilies (ABC1, MDR/TAP, MRP, ALD, OABP, GCN20, White). This protein is a member of the MDR/TAP subfamily. Members of the MDR/TAP subfamily are involved in multidrug resistance as well as antigen presentation. This family member functions in the translocation of peptides from the cytosol into the lysosomal lumen. Alternative splicing

| | |
|---------------------------------|---|
| | g of this gene results in distinct isoforms which are likely to have different substrate specificities. |
| Applications: | ELISA, WB, IHC |
| Name of antibody: | ABCB9 |
| Immunogen: | Synthetic peptide of human ABCB9 |
| Full name: | ATP-binding cassette, sub-family B (MDR/TAP), member 9 |
| Synonyms: | TAPL, EST122234 |
| SwissProt: | Q9NP78 |
| IHC positive control: | Human gastric cancer and human breast cancer |
| IHC Recommend dilution: | 15-50 |
| WB Predicted band size: | 84 kDa |
| WB Positive control: | Hela cells |
| WB Recommended dilution: | 200-1000 |



