

兔抗 ACOT4 多克隆抗体

中文名称：兔抗 ACOT4 多克隆抗体

英文名称：Anti-ACOT4 rabbit polyclonal antibody

别 名：PTE1B; PTE2B; PTE-Ib

抗 原：ACOT4

储 存：冷冻（-20℃） 避光

宿 主：Rabbit

反应种属：Human

相关类别：一抗

标记物：Unconjugate

克隆类型：Unconjugate

技术规格

Background:	Acyl-CoA thioesterases are a group of enzymes that catalyze the hydrolysis of acyl-CoAs to the free fatty acid and coenzyme A (CoASH), providing the potential to regulate intracellular levels of acyl-CoAs, free fatty acids and CoASH By similarity. Succinyl-CoA thioesterase that also hydrolyzes long chain saturated and unsaturated monocarboxylic acyl-CoAs.
Applications:	WB, IF
Name of antibody:	ACOT4
Immunogen:	Synthesized peptide derived from internal of human ACOT4.

Full name:	acyl-CoA thioesterase 4
Synonyms :	PTE1B; PTE2B; PTE-Ib
SwissProt:	Q8N9L9
WB Predicted band size:	46 kDa
WB Positive control:	Hela cells and COLO cells lysates
WB Recommended dilution:	500-3000
IF positive control:	MCF-7 cells
IF Recommend dilution:	100-500



