

兔抗 CLK1 多克隆抗体

中文名称：兔抗 CLK1 多克隆抗体

英文名称：Anti-CLK1 rabbit polyclonal antibody

别名：CLK; STY; CLK/STY

相关类别：一抗

储存：冷冻（-20℃）避光

抗原：CLK1

宿主：Rabbit

反应种属：Human Mouse

标记物：Unconjugate

克隆类型：Unconjugate

技术规格

Background:	This gene encodes a member of the CDC2-like (or LAMMER) family of dual specificity protein kinases. In the nucleus, the encoded protein phosphorylates serine/arginine-rich proteins involved in pre-mRNA processing, releasing them into the nucleoplasm. The choice of splice sites during pre-mRNA processing may be regulated by the concentration of transacting factors, including serine/arginine rich proteins. Therefore, the encoded protein may play an indirect role in governing splice site selection. Multiple transcript variants encoding different isoforms have been found for this gene.
--------------------	--

Applications:	WB, IF
Name of antibody:	CLK1
Immunogen:	Synthesized peptide derived from internal of human CLK1.
Full name:	CDC-like kinase 1
Synonyms :	CLK; STY; CLK/STY
SwissProt:	P49759
WB Predicted band size:	57 kDa
WB Positive control:	293 cells lysate
WB Recommended dilution:	500-3000
IF positive control:	Huvec cells
IF Recommend dilution:	100-500



