



兔抗 ARID2 多克隆抗体

中文名称: 兔抗 ARID2 多克隆抗体

英文名称: Anti-ARID2 rabbit polyclonal antibody

别 名: p200; BAF200

相关类别: 一抗

储 存: 冷冻 (-20°C)

宿 主: Rabbit

抗 原: ARID2

反应种属: Human, Mouse


标记物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:	ARID2 is a subunit of the PBAF chromatin-remodeling complex (see BAF180; MIM 606083), which facilitates ligand-dependent transcriptional activation by nuclear receptors. Involved in transcriptional activation and repression of select genes by chromatin remodeling (alteration of DNA-nucleosome topology). Required for the stability of the SWI/SNF chromatin remodeling complex SWI/SNF-B (PBAF).
Applications:	ELISA, WB, IHC
Name of antibody:	ARID2
Immunogen:	Synthetic peptide of human ARID2
Full name:	AT rich interactive domain 2 (ARID, RFX-like)

Synonyms:	p200; BAF200
SwissProt:	Q68CP9
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human thyroid cancer and human ovarian cancer
IHC Recommend dilution:	25-100
WB Predicted band size:	197 kDa
WB Positive control:	TM4 cell
WB Recommended dilution:	200-1000



mlbio 海联生物
Good elisakit producers

