

兔抗 ATP5L2 多克隆抗体

中文名称：兔抗 ATP5L2 多克隆抗体

英文名称： Anti-ATP5L2 rabbit polyclonal antibody

别 名： ATP5K2

储 存： 冷冻（-20℃） 避光

抗 原： ATP5L2

宿 主： Rabbit

反应种属： Human

相关类别： 一抗

标记物： Unconjugate

克隆类型： Unconjugate

技术规格

Background:	Mitochondrial membrane ATP synthase (F1F0 ATP synthase or Complex V) produces ATP from ADP in the presence of a proton gradient across the membrane which is generated by electron transport complexes of the respiratory chain. F-type ATPases consist of two structural domains, F1 - containing the extramembraneous catalytic core, and F0 - containing the membrane proton channel, linked together by a central stalk and a peripheral stalk. During catalysis, ATP synthesis in the catalytic domain of F1 is coupled via a rotary mechanism of the central stalk subunits to proton translocation. Part of the complex F0 domain. Minor subunit loc
--------------------	---

	ated with subunit a in the membrane By similarity.
Applications:	WB, IF
Name of antibody:	ATP5L2
Immunogen:	Synthesized peptide derived from internal of human ATP5L2.
Full name:	ATP synthase, H ⁺ transporting, mitochondrial Fo complex, subunit G2
Synonyms :	ATP5K2
SwissProt:	Q7Z4Y8
WB Predicted band size:	11 kDa
WB Positive control:	A549 cells lysate
WB Recommended dilution:	500-3000
IF positive control:	A549 cells
IF Recommend dilution:	100-500



