

PSMD9 抗原（重组蛋白）

中文名称：PSMD9 抗原（重组蛋白）

英文名称：PSMD9 Antigen (Recombinant Protein)

别名：p27, Rpn4

储存：冷冻（-20℃）

相关类别：抗原

概述

Full length fusion protein

技术规格

Full name:	proteasome (prosome, macropain) 26S subunit, non-ATPase, 9
Synonyms:	p27, Rpn4
Swissprot:	O00233
Gene Accession:	BC002383
Purity:	>85%, as determined by Coomassie blue stained SDS-PAGE
Expression system:	Escherichia coli
Tags:	His tag C-Terminus, GST tag N-Terminus
Background:	The 26S proteasome is a multicatalytic proteinase complex with a highly ordered structure composed of 2 complexes, a 20S core and a 19S regulator. The 20S core is composed of 4 rings of 28 non-identical subunits; 2 rings are composed of 7 alpha subunits and 2 rings are composed of 7 beta subunits. The 19S regulator is composed of a base, which contains 6 ATPase subunits and 2 non-ATPase subunits, and a lid, which contains up to 10 non-ATPase subunits. Prote

asomes are distributed throughout eukaryotic cells at a high concentration and cleave peptides in an ATP/ubiquitin-dependent process in a non-lysosomal pathway. An essential function of a modified proteasome, the immunoproteasome, is the processing of class I MHC peptides. This gene encodes a non-ATPase subunit of the 19S regulator. Three transcript variants encoding two different isoforms have been found for this gene.