

兔抗 C5AR1 多克隆抗体

中文名称：兔抗 C5AR1 多克隆抗体

英文名称：Anti-C5AR1 rabbit polyclonal antibody

别名：complement component 5a receptor 1; C5A; C5AR; C5R1; CD88

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：C5AR1

反应种属：Human

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	Receptor for the chemotactic and inflammatory peptide anaphylatoxin C5a (PubMed:1847994, PubMed:8182049, PubMed:7622471, PubMed:9553099, PubMed:10636859, PubMed:15153520). The ligand interacts with at least two sites on the receptor: a high-affinity site on the extracellular N-terminus, and a second site in the transmembrane region which activates downstream signaling events (PubMed:8182049, PubMed:7622471, PubMed:9553099). Receptor activation stimulates chemotaxis, granule enzyme release, intracellular calcium release and superoxide anion production (PubMed:10636859, PubMed:1515
--------------------	--

	3520).
Applications:	ELISA, IHC
Name of antibody:	C5AR1
Immunogen:	Fusion protein of human C5AR1
Full name:	complement component 5a receptor 1
Synonyms:	C5A; C5AR; C5R1; CD88
SwissProt:	P21730
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human liver cancer and human esophagus cancer
IHC Recommend dilution:	40-200



