

兔抗 MAP2K3(Phospho-Thr222) 多克隆抗体

中文名称: 兔抗 MAP2K3(Phospho-Thr222) 多克隆抗体

英文名称: Anti-MAP2K3(Phospho-Thr222) rabbit polyclonal antibody

别 名: MEK3; MKK3; MAPKK3; PRKMK3; SAPKK2; SAPKK-2

相关类别: 一抗

储 存: 冷冻(-20℃) 避光

宿 主: Rabbit

抗 原: MAP2K3(Phospho-Thr222)

反应种属: Human

标记物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:	The protein encoded by this gene is a dual specificity prote in kinase that belongs to the MAP kinase kinase family. Thi s kinase is activated by mitogenic and environmental stress, and participates in the MAP kinase-mediated signaling casc ade. It phosphorylates and thus activates MAPK14/p38-MAP K. This kinase can be activated by insulin, and is necessary for the expression of glucose transporter.
Applications:	WB, IHC
Name of antibody:	MAP2K3(Phospho-Thr222)
Immunogen:	Peptide sequence around phosphorylation site of threonine 222(A-K-T(p)-M-D) derived from Human MAP2K3 .



Full name:	mitogen-activated protein kinase kinase 3
Synonyms:	MEK3; MKK3; MAPKK3; PRKMK3; SAPKK2; SAPKK-2
SwissProt:	P46734
IHC positive control:	Human brain tissue
IHC Recommend dilution:	50-100
WB Predicted band size:	39 kDa
WB Positive control:	Jurkat cells lysates treated with serum
WB Recommended dilution:	500-1000





