

兔抗 MADCAM1 多克隆抗体

中文名称：兔抗 MADCAM1 多克隆抗体

英文名称：Anti-MADCAM1 rabbit polyclonal antibody

别名：mucosal vascular addressin cell adhesion molecule 1; MACAM1

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：MADCAM1

反应种属：Human, Mouse

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	The protein encoded by this gene is an endothelial cell adhesion molecule that interacts preferentially with the leukocyte beta7 integrin LPAM-1 (alpha4beta7), L-selectin, and VLA-4 (alpha4beta1) on myeloid cells to direct leukocytes into mucosal and inflamed tissues. It is a member of the immunoglobulin family and is similar to ICAM1 and VCAM1. At least seven alternatively spliced transcripts encoding different protein isoforms have been found for this gene, but the full-length nature of some variants has not been determined.
Applications:	ELISA, WB, IHC

Name of antibody:	MADCAM1
Immunogen:	Synthetic peptide of human MADCAM1
Full name:	mucosal vascular addressin cell adhesion molecule 1
Synonyms:	MACAM1
SwissProt:	Q13477
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human liver cancer
IHC Recommend dilution:	50-100
WB Predicted band size:	40 kDa
WB Positive control:	Mouse liver tissue lysate
WB Recommended dilution:	500-2000



