



# 兔抗 MAPK1/MAPK3(Phospho-Tyr187/204) 多克隆抗体

中文名称： 兔抗 MAPK1/MAPK3(Phospho-Tyr187/204)多克隆抗体

英文名称： Anti-MAPK1/MAPK3(Phospho-Tyr187/204) rabbit polyclonal antibody

别 名： ERK1/2

相关类别： 一抗

储 存： 冷冻 (-20°C) 避光

宿 主： Rabbit

抗 原： MAPK1/MAPK3

反应种属： Human, Mouse, Rat


标 记 物： Unconjugate

克隆类型： rabbit polyclonal

## 技术规格

<b>Background:</b>	Involved in both the initiation and regulation of meiosis, mitosis, and postmitotic functions in differentiated cells by phosphorylating a number of transcription factors such as ELK-1. Phosphorylates EIF4EBP1; required for initiation of translation. Phosphorylates microtubule-associated protein 2 (MAP2). Phosphorylates SPZ1
<b>Applications:</b>	WB, IHC, IF
<b>Name of antibody:</b>	MAPK1/MAPK3(Phospho-Tyr187/204)
<b>Immunogen:</b>	Synthetic peptide of human MAPK1/MAPK3(Phospho-Tyr187/204)

	204)
<b>Full name:</b>	mitogen-activated protein kinase 1/3
<b>Synonyms:</b>	ERK; p38; p40; p41; ERK2; ERT1; ERK-2; MAPK2; PRKM1; PRK M2; P42MAPK; p41mapk; p42-MAPK; ERK1; ERT2; ERK-1; PR KM3; P44ERK1; P44MAPK; HS44KDAP; HUMKER1A; p44-ERK1; p44-MAPK
<b>SwissProt:</b>	P28482/P27361
<b>IHC positive control:</b>	Human breast carcinoma
<b>IHC Recommend dilution:</b>	50-100
<b>WB Predicted band size:</b>	42 kDa; 44 kDa
<b>WB Positive control:</b>	0.5ug, 1ug, 1.5ug, 2ug recombinant 6×HIS Tagged protein
<b>WB Recommended dilution:</b>	500-1000
<b>IF Positive control:</b>	Hela cells
<b>IF Recommended dilution:</b>	100-200



**mlbio** 海联生物  
Good elisakit producers

