

兔抗 MARCHF2 多克隆抗体

中文名称: 兔抗 MARCHF2 多克隆抗体

英文名称: Anti-MARCHF2 rabbit polyclonal antibody

别 名: membrane associated ring-CH-type finger 2; MARCH2;

相关类别: 一抗

储 存: 冷冻(-20℃)

宿 主: Rabbit

抗 原: MARCHF2

反应种属: Human, Mouse, Rat

标记物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:	MARCH2 is a member of the MARCH family of membrane-bound E3 ubiquitin ligases (EC 6.3.2.19). MARCH enzymes a dd ubiquitin (see MIM 191339) to target lysines in substrat e proteins, thereby signaling their vesicular transport betwe en membrane compartments. MARCH2 reduces surface acc umulation of several glycoproteins and appears to regulate early endosome-to-trans-Golgi network (TGN) trafficking (B artee et al., 2004 [PubMed 14722266]; Nakamura et al., 20 05 [PubMed 15689499]).[supplied by OMIM, Mar 2010]
Applications:	ELISA, WB
Name of antibody:	MARCHF2



Immunogen:	Fusion protein of human MARCHF2
Full name:	membrane associated ring-CH-type finger 2
Synonyms:	MARCH2; RNF172; HSPC240; MARCH-II
SwissProt:	Q9P0N8
WB Predicted band size:	27 kDa
WB Positive control:	Human fetal liver tissue
WB Recommended dilution:	200-1000

