

兔抗 MARCKSL1 多克隆抗体

中文名称：兔抗 MARCKSL1 多克隆抗体

英文名称：Anti-MARCKSL1 rabbit polyclonal antibody

别 名：MARCKS like 1; F52; MLP; MRP; MLP1; MACMARCKS

相关类别：一抗

储 存：冷冻（-20℃）

宿 主：Rabbit

抗 原：MARCKSL1

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

| | |
|--------------------------|--|
| Background: | This gene encodes a member of the myristoylated alanine-rich C-kinase substrate (MARCKS) family. Members of this family play a role in cytoskeletal regulation, protein kinase C signaling and calmodulin signaling. The encoded protein affects the formation of adherens junction. Alternative splicing results in multiple transcript variants. Pseudogenes of this gene are located on the long arm of chromosomes 6 and 10. |
| Applications: | ELISA, WB, IHC |
| Name of antibody: | MARCKSL1 |
| Immunogen: | Fusion protein of human MARCKSL1 |

| | |
|-------------------------------------|--------------------------------|
| Full name: | MARCKS like 1 |
| Synonyms: | F52; MLP; MRP; MLP1; MACMARCKS |
| SwissProt: | P49006 |
| ELISA Recommended dilution : | 5000-10000 |
| IHC positive control: | Human colorectal cancer |
| IHC Recommend dilution: | 50-100 |
| WB Predicted band size: | 20 kDa |
| WB Positive control: | RAW264.7 cell lysate |
| WB Recommended dilution: | 500-2000 |



