

兔抗 MARK2 多克隆抗体

中文名称：兔抗 MARK2 多克隆抗体

英文名称：Anti-MARK2 rabbit polyclonal antibody

别名：microtubule affinity regulating kinase 2; EMK1; EMK-1; PAR-1; Par1b; Par-1b

相关类别：一抗

抗原：MARK2

储存：冷冻（-20℃）

宿主：Rabbit

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	This gene encodes a member of the Par-1 family of serine/threonine protein kinases. The protein is an important regulator of cell polarity in epithelial and neuronal cells, and also controls the stability of microtubules through phosphorylation and inactivation of several microtubule-associated proteins. The protein localizes to cell membranes. Multiple transcript variants encoding different isoforms have been found for this gene.
Applications:	ELISA, WB, IHC
Name of antibody:	MARK2
Immunogen:	Synthetic peptide of human MARK2

Full name:	microtubule affinity regulating kinase 2
Synonyms:	EMK1; EMK-1; PAR-1; Par1b; Par-1b
SwissProt:	Q7KZI7
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human liver cancer
IHC Recommend dilution:	25-100
WB Predicted band size:	88 kDa
WB Positive control:	Raji and A431 cell lysates
WB Recommended dilution:	500-2000



