

兔抗 FUK 多克隆抗体

中文名称: 兔抗 FUK 多克隆抗体

英文名称: Anti-FUK rabbit polyclonal antibody

别 名: fucose kinase; FUK; 1110046B12Rik

相关类别: 一抗

储 存: 冷冻(-20℃)

宿 主: Rabbit

抗 原: FCSK

反应种属: Human, Mouse

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

| Background: | The protein encoded by this gene belongs to the GH |
|---------------|---|
| | MP (galacto-, homoserine, mevalonate and phosphom |
| | evalonate) kinase family and catalyzes the phosphoryl |
| | ation of L-fucose to form beta-L-fucose 1-phosphate. |
| | This enzyme catalyzes the first step in the utilization |
| | of free L-fucose in glycoprotein and glycolipid synthe |
| | sis. L-fucose may be important in mediating a numbe |
| | r of cell-cell interactions such as blood group antigen |
| | recognition, inflammation, and metastatis. While sever |
| | al transcript variants may exist for this gene, the full- |
| | length nature of only one has been described to dat |
| | e. [provided by RefSeq, Jul 2008] |
| Applications: | ELISA, IHC |



| Name of antibody: | FCSK |
|-----------------------------|--|
| Immunogen: | Fusion protein of human FCSK |
| Full name: | fucose kinase |
| Synonyms: | FUK; 1110046B12Rik |
| SwissProt: | Q8N0W3 |
| ELISA Recommended dilution: | 5000-10000 |
| IHC positive control: | Human colorectal cancer and Human tonsil |
| IHC Recommend dilution: | 150-300 |





