

## 兔抗 MED1(Phospho-Thr1457) 多克隆抗体

中文名称: 兔抗 MED1(Phospho-Thr1457) 多克隆抗体

英文名称: Anti-MED1(Phospho-Thr1457) rabbit polyclonal antibody

别名: PBP; CRSP1; RB18A; TRIP2; PPARBP; CRSP200; DRIP205; DRIP230; PPARGBP;

TRAP220

相关类别: 一抗

储 存: 冷冻(-20℃) 避光

宿 主: Rabbit

抗原: MED1(Phospho-Thr1457)

反应种属: Human Mouse

标记物: Unconjugate

克隆类型: Unconjugate

## 技术规格

Background:	The activation of gene transcription is a multistep process t hat is triggered by factors that recognize transcriptional enh ancer sites in DNA. These factors work with co-activators to direct transcriptional initiation by the RNA polymerase II ap paratus. The protein encoded by this gene is a subunit of t he CRSP (cofactor required for SP1 activation) complex, whi ch, along with TFIID, is required for efficient activation by S P1.
Applications:	WB
Name of antibody:	MED1(Phospho-Thr1457)
Immunogen:	Peptide sequence around phosphorylation site of Threonine 1457 (A-Y-T(p)-P-Q) derived from Human PPAR-BP.



Full name:	mediator complex subunit 1
Synonyms :	PBP; CRSP1; RB18A; TRIP2; PPARBP; CRSP200; DRIP205; DRIP 230; PPARGBP; TRAP220
SwissProt:	Q15648
WB Predicted band size:	168 kDa
WB Positive control:	Huvec cells lysates treated with serum
WB Recommended dilution:	500-1000

