

## 兔抗 GTF2E2 多克隆抗体

中文名称：兔抗 GTF2E2 多克隆抗体

英文名称：Anti-GTF2E2 rabbit polyclonal antibody

别名：general transcription factor IIE, polypeptide 2, beta 34kDa

相关类别：一抗

储存：冷冻（-20℃）避光

抗原：GTF2E2

宿主：Rabbit

反应种属：Human Mouse

标记物：Unconjugate

克隆类型：Unconjugate

### 技术规格

|                          |                                                                                                                                                                                                                                   |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Background:</b>       | Recruits TFIIH to the initiation complex and stimulates the RNA polymerase II C-terminal domain kinase and DNA-dependent ATPase activities of TFIIH. Both TFIIH and TFIIIE are required for promoter clearance by RNA polymerase. |
| <b>Applications:</b>     | WB, IHC                                                                                                                                                                                                                           |
| <b>Name of antibody:</b> | GTF2E2                                                                                                                                                                                                                            |
| <b>Immunogen:</b>        | Synthesized peptide derived from internal of human T F2E2.                                                                                                                                                                        |
| <b>Full name:</b>        | general transcription factor IIE, polypeptide 2, beta 34 kDa                                                                                                                                                                      |

|                                 |                                                              |
|---------------------------------|--------------------------------------------------------------|
| <b>Synonyms :</b>               | general transcription factor IIE, polypeptide 2, beta 34 kDa |
| <b>SwissProt:</b>               | P29084                                                       |
| <b>IHC positive control:</b>    | Human heart tissue                                           |
| <b>IHC Recommend dilution:</b>  | 50-100                                                       |
| <b>WB Predicted band size:</b>  | 33 kDa                                                       |
| <b>WB Positive control:</b>     | Jurkat cells lysate                                          |
| <b>WB Recommended dilution:</b> | 500-3000                                                     |



