

兔抗 MRC2 多克隆抗体

中文名称：兔抗 MRC2 多克隆抗体

英文名称：Anti-MRC2 rabbit polyclonal antibody

别名：CD280; UPARAP; CLEC13E; ENDO180

抗原：MRC2

储存：冷冻（-20℃）避光

宿主：Rabbit

相关类别：一抗

反应种属：Human Mouse Rat

标记物：Unconjugate

克隆类型：Unconjugate

技术规格

Background:	This gene encodes a member of the mannose receptor family of proteins that contain a fibronectin type II domain and multiple C-type lectin-like domains. The encoded protein plays a role in extracellular matrix remodeling by mediating the internalization and lysosomal degradation of collagen ligands. Expression of this gene may play a role in the tumorigenesis and metastasis of several malignancies including breast cancer, gliomas and metastatic bone disease.
Applications:	WB, IHC, IF
Name of antibody:	MRC2
Immunogen:	Synthesized peptide derived from internal of human MRC2.

Full name:	mannose receptor, C type 2
Synonyms :	CD280; UPARAP; CLEC13E; ENDO180
SwissProt:	Q9UBG0
IHC positive control:	Human brain tissue
IHC Recommend dilution:	50-100
WB Predicted band size:	167 kDa
WB Positive control:	293 cells lysate
WB Recommended dilution:	500-3000
IF positive control:	HepG2 cells
IF Recommend dilution:	100-500



