

兔抗 NCBP2 多克隆抗体

中文名称：兔抗 NCBP2 多克隆抗体

英文名称：Anti-NCBP2 rabbit polyclonal antibody

别名：CBC2; NIP1; CBP20; PIG55

相关类别：一抗

储存：冷冻（-20℃）避光

抗原：NCBP2

宿主：Rabbit

反应种属：Human Mouse

标记物：Unconjugate

克隆类型：Unconjugate

技术规格

| | |
|--------------------------|---|
| Background: | The product of this gene is a component of the nuclear cap-binding protein complex (CBC), which binds to the mono methylated 5' cap of nascent pre-mRNA in the nucleoplasm. The encoded protein has an RNP domain commonly found in RNA binding proteins, and contains the cap-binding activity. The CBC promotes pre-mRNA splicing, 3'-end processing, RNA nuclear export, and nonsense-mediated mRNA decay. |
| Applications: | WB |
| Name of antibody: | NCBP2 |
| Immunogen: | Synthesized peptide derived from internal of human NCBP2 |

| | |
|---------------------------------|--|
| | . |
| Full name: | nuclear cap binding protein subunit 2, 20kDa |
| Synonyms : | CBC2; NIP1; CBP20; PIG55 |
| SwissProt: | P52298 |
| WB Predicted band size: | 18 kDa |
| WB Positive control: | COLO205 cells lysate |
| WB Recommended dilution: | 500-3000 |

