

兔抗 NCEH1 多克隆抗体

中文名称：兔抗 NCEH1 多克隆抗体

英文名称： Anti-NCEH1 rabbit polyclonal antibody

别名： NCEH; AADACL1

抗原： NCEH1

储存： 冷冻（-20℃）

宿主： Rabbit

相关类别： 一抗

反应种属： Human, Mouse, Rat

标记物： Unconjugate

克隆类型： rabbit polyclonal

技术规格

| | |
|--------------------------|---|
| Background: | Neutral cholesterol ester hydrolase 1 (NCEH) also known as arylacetamide deacetylase-like 1 (AADACL1) or KIAA1363 is an enzyme that in humans is encoded by the NCEH1 gene. NCEH is an enzyme located in the endoplasmic reticulum. NCEH hydrolyzes 2-acetyl monoalkylglycerol ether, as part of an enzymatic pathway regulating the levels of platelet activating factor and lysophospholipids that may be involved in cancer development. |
| Applications: | ELISA, WB, IHC |
| Name of antibody: | NCEH1 |
| Immunogen: | Fusion protein of human NCEH1 |

| | |
|------------------------------------|--|
| Full name: | Neutral cholesterol ester hydrolase 1 |
| Synonyms : | NCEH; AADACL1 |
| SwissProt: | Q6PIU2 |
| ELISA Recommended dilution: | 2000-10000 |
| IHC positive control: | Human thyroid cancer and human lung cancer |
| IHC Recommend dilution: | 100-300 |
| WB Predicted band size: | 46 kDa |
| WB Positive control: | Mouse kidney and heart tissue |
| WB Recommended dilution: | 1000-5000 |



