

兔抗 IL7R 多克隆抗体

中文名称: 兔抗 IL7R 多克隆抗体

英文名称: Anti-IL7R rabbit polyclonal antibody

别 名: interleukin 7 receptor; ILRA; CD127; IL7RA; CDW127; IL-7R-alpha

相关类别: 一抗

抗 原: IL7R

储 存: 冷冻(-20℃)

宿 主: Rabbit

反应种属: Human

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Applications: Name of antibody:	SCID). Alternatively spliced transcript variants have been found. ELISA, WB, IHC IL7R
Background:	The protein encoded by this gene is a receptor for interleukin 7 (I L7). The function of this receptor requires the interleukin 2 recepto r, gamma chain (IL2RG), which is a common gamma chain shared by the receptors of various cytokines, including interleukins 2, 4, 7, 9, and 15. This protein has been shown to play a critical role in V(D)J recombination during lymphocyte development. Defects in this gene may be associated with severe combined immunodeficiency (



Full name:	interleukin 7 receptor
Synonyms:	ILRA; CD127; IL7RA; CDW127; IL-7R-alpha
SwissProt:	P16871
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human thyroid cancer
IHC Recommend dilu tion:	40-200
WB Predicted band s ize:	52 kDa
WB Positive control:	Human fetal brain tissue and Jurkat cell lysates
WB Recommended d ilution:	500-2000





