

## 兔抗 RPL15 多克隆抗体

中文名称: 兔抗 RPL15 多克隆抗体

英文名称: Anti-RPL15 rabbit polyclonal antibody

别 名: L15; EC45; RPL10; RPLY10; RPYL10

相关类别: 一抗

抗 原: RPL15

储 存: 冷冻(-20℃)

宿 主: Rabbit

反应种属: Human, Mouse, Rat

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

## 技术规格

Background:

Ribosomes, the organelles that catalyze protein synthesis, consist of a small 40S subunit and a large 60S subunit. Together these subunits are composed of 4 RNA species and approximately 80 structurally distinct proteins. This gene encodes a ribosomal protein that is a component of the 60S subunit. The protein belongs to the L15E family of ribosomal proteins. It is located in the cytoplasm. This gene shares sequence similarity with the yeast ribosomal protein



	W 10 . A1,1 1 ,1: 1 1
	n YL10 gene. Although this gene has been
	referred to as RPL10, its official symbol
	is RPL15. This gene has been shown to be
	overexpressed in some esophageal tumors
	compared to normal matched tissues. Altern
	ate splicing results in multiple transcrip
	t variants. As is typical for genes encodin
	g ribosomal proteins, there are multiple
	processed pseudogenes of this gene dispers
	ed through the genome.
Applications:	ELISA, IHC
Name of antibody:	RPL15
Immunogen:	Fusion protein of human RPL15
Full name:	ribosomal protein L15
Synonyms:	L15; EC45; RPL10; RPLY10; RPYL10
SwissProt:	P61313
ELISA Recommended dilution:	2000-5000
IHC positive control:	Human cervical cancer and human thyroid
	cancer
IHC Recommend dilution:	25-100



