

兔抗 IL27RA 多克隆抗体

中文名称：兔抗 IL27RA 多克隆抗体

英文名称：Anti-IL27RA rabbit polyclonal antibody

别名：CRL1; TCCR; WSX1; IL27R; IL-27RA; zcytor1

相关类别：一抗

抗原：IL27RA

储存：冷冻（-20℃）

宿主：Rabbit

反应种属：Human, Mouse

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	In mice, CD4+ helper T-cells differentiate into type 1 (Th 1) cells, which are critical for cell-mediated immunity, predominantly under the influence of IL12. Also, IL4 influences their differentiation into type 2 (Th2) cells, which are critical for most antibody responses. Mice deficient in these cytokines, their receptors, or associated transcription factors have impaired, but are not absent of, Th1 or Th2 immune responses. This gene encodes a protein which is similar to the mouse T-cell cytokine receptor Tccr at the amino acid level, and is predicted to be a glycosylated transmembrane protein.
--------------------	---

Applications:	ELISA, WB, IHC
Name of antibody:	IL27RA
Immunogen:	Fusion protein of human IL27RA
Full name:	interleukin 27 receptor, alpha
Synonyms :	CRL1; TCCR; WSX1; IL27R; IL-27RA; zcytor1
SwissProt:	Q6UWB1
ELISA Recommended dilution:	2000-5000
IHC positive control:	Human colon cancer and human brain
IHC Recommend dilution:	50-200
WB Predicted band size:	69 kDa
WB Positive control:	Mouse thymus and heart tissue
WB Recommended dilution:	200-1000



