



兔抗 IL32 多克隆抗体

中文名称: 兔抗 IL32 多克隆抗体

英文名称: Anti-IL32 rabbit polyclonal antibody

别 名: interleukin 32; NK4; TAIF; TAIFa; TAIFb; TAIFc; TAIFd; IL-32beta; IL-32alpha; IL-32delta; IL-32gamma

相关类别: 一抗

储 存: 冷冻 (-20°C)

抗 原: IL32

宿 主: Rabbit

反应种属: Human


标 记物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:	This gene encodes a member of the cytokine family. The protein contains a tyrosine sulfation site, 3 potential N-myristoylation sites, multiple putative phosphorylation sites, and an RGD cell-attachment sequence. Expression of this protein is increased after the activation of T-cells by mitogens or the activation of NK cells by IL-2. This protein induces the production of TNFalpha from macrophage cells. Alternate transcriptional splice variants, encoding different isoforms, have been characterized.
Applications:	ELISA, IHC

Name of antibody:	IL32
Immunogen:	Synthetic peptide of human IL32
Full name:	interleukin 32
Synonyms:	NK4; TAIF; TAIFa; TAIFb; TAIFc; TAIFd; IL-32beta; IL-32alpha; IL-32delta; IL-32gamma
SwissProt:	P24001
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human lung cancer and Human breast cancer
IHC Recommend dilution:	20-100



mlbio 瑞联生物
Good elisakit producers

