

## 兔抗 PDCD10 多克隆抗体

中文名称: 兔抗 PDCD10 多克隆抗体

英文名称: Anti-PDCD10 rabbit polyclonal antibody

别 名: CCM3, TFAR15

抗原: PDCD10

储 存: 冷冻(-20℃)

宿 主: Rabbit

相关类别: 一抗

反应种属: Human, Mouse, Rat

标记物: Unconjugate

克隆类型: rabbit polyclonal

## 技术规格

**Background:** 

This gene encodes an evolutionarily conserved protein ass ociated with cell apoptosis. The protein interacts with the serine/threonine protein kinase MST4 to modulate the ext racellular signal-regulated kinase (ERK) pathway. It also int eracts with and is phosphoryated by serine/threonine kina se 25, and is thought to function in a signaling pathway essential for vascular developent. Mutations in this gene are one cause of cerebral cavernous malformations, which are vascular malformations that cause seizures and cerebral hemorrhages. Multiple alternatively spliced variants, encoding the same protein, have been identified.



Applications:	ELISA, WB, IHC
Name of antibody:	PDCD10
Immunogen:	Fusion protein of human PDCD10
Full name:	programmed cell death 10
Synonyms:	CCM3, TFAR15
SwissProt:	Q9BUL8
<b>ELISA Recommended dilution:</b>	1000-5000
IHC positive control:	Human tonsil and human renal cancer
IHC Recommend dilution:	25-100
WB Predicted band size:	25 kDa
WB Positive control:	Hela, Jurkat and 231 cells
WB Recommended dilution:	200-1000





