

## 兔抗 VWA5A 多克隆抗体

中文名称: 兔抗 VWA5A 多克隆抗体

英文名称: Anti-VWA5A rabbit polyclonal antibody

别 名: BCSC1; BCSC-1; LOH11CR2A

相关类别: 一抗

抗原: VWA5A

储 存: 冷冻(-20℃)

宿 主: Rabbit

反应种属: Human

标记物: Unconjugate

克隆类型: rabbit polyclonal

## 技术规格

**Background:** 

VWA5A (von Willebrand factor A domain containing 5A), also known as BCSC-1 (breast cancer suppressor candid ate 1) or LOH11CR2A (loss of heterozygosity 11 chromo somal region 2 gene A protein), is a 786 amino acid protein containing one VIT domain and one VWFA domain. VWA5A is expressed at low levels in various tissues, with no expression found in 80% of tumor cell lines. Likely acting as a tumor suppressor gene, deletion of VWA5A leads to loss of heterozygosity (LOH) in breast and ovarian tumors, and may have an important role as a potential gene therapy target. Abnormal expression of V



|                             | WA5A may lead to an increase in adhesion of CNE-2L2 cells associated with an increase in expression of E-cadh erin, alpha-catenin, and p53, resulting in a decrease of malignant activity in cells with ectopic expression of VW A5A. |
|-----------------------------|---|
| Applications:               | ELISA, IHC  |
| Name of antibody:           | VWA5A   |
| Immunogen:                  | Fusion protein of human VWA5A   |
| Full name:                  | von Willebrand factor A domain containing 5A  |
| Synonyms:                   | BCSC1; BCSC-1; LOH11CR2A  |
| SwissProt:                  | O00534  |
| ELISA Recommended dilution: | 2000-10000  |
| IHC positive control:       | Human cervical cancer and human lung cancer   |
| IHC Recommend dilution:     | 100-300   |

