



兔抗 POLR1C 多克隆抗体

中文名称： 兔抗 POLR1C 多克隆抗体

英文名称： Anti-POLR1C rabbit polyclonal antibody

别 名： POLR1C; RPA39; RPC40; AC40; POLR1E; RPA40

相关类别： 一抗

储 存： 冷冻 (-20°C) 避光

宿 主： Rabbit

抗 原： POLR1C

反应种属： Human, Mouse, Rat


标 记 物： Unconjugate

克隆类型： rabbit polyclonal

技术规格

Background:	DNA-dependent RNA polymerase catalyzes the transcription of DNA into RNA using the four ribonucleoside triphosphate s as substrates. Common component of RNA polymerases I and III which synthesize ribosomal RNA precursors and small RNAs, such as 5S rRNA and tRNAs, respectively. RPAC1 is part of the Pol core element with the central large cleft and probably a clamp element that moves to open and close the cleft.
Applications:	WB, IHC
Name of antibody:	POLR1C

Immunogen:	Fusion protein of human POLR1C
Full name:	polymerase (RNA) I polypeptide C, 30kDa
Synonyms :	POLR1C; RPA39; RPC40; AC40; POLR1E; RPA40
SwissProt:	O15160
IHC positive control:	Human spleen
IHC Recommend dilution:	50-200
WB Predicted band size:	39 kDa
WB Positive control:	K562 and SW480 cells
WB Recommended dilution:	500-2000



mlbio 海联生物
Good elisakit producers

