

小鼠抗 CHCHD10 单克隆抗体

中文名称：小鼠抗 CHCHD10 单克隆抗体

英文名称：Anti-CHCHD10 mouse monoclonal antibody

别名：coiled-coil-helix-coiled-coil-helix domain containing 10; IMMD; SMAJ; FTDALS2; N27C7-4; C22orf16

相关类别：一抗

储存：冷冻（-20℃）

宿主：Mouse

抗原：CHCHD10

反应种属：Human

标记物：Unconjugate

克隆类型：mouse monoclonal

技术规格

Background:	This gene encodes a mitochondrial protein that is enriched at cristae junctions in the intermembrane space. It may play a role in cristae morphology maintenance or oxidative phosphorylation. Mutations in this gene cause frontotemporal dementia and/or amyotrophic lateral sclerosis-2. Alternative splicing of this gene results in multiple transcript variants. Related pseudogenes have been identified on chromosomes 7 and 19.
Applications:	WB, IHC
Name of antibody:	CHCHD10

Immunogen:	Fusion protein of human CHCHD10
Full name:	coiled-coil-helix-coiled-coil-helix domain containing 10
Synonyms:	IMMD; SMAJ; FTDALS2; N27C7-4; C22orf16
SwissProt:	Q8WYQ3
IHC positive control:	Human liver cancer and Human liver tissue; Human appendix tissue
IHC Recommend dilution:	200-500
WB Predicted band size:	14 KD
WB Positive control:	293T cell lysate
WB Recommended dilution:	500-2000