

小鼠抗 TBL1XR1 单克隆抗体

中文名称： 小鼠抗 TBL1XR1 单克隆抗体

英文名称： Anti-TBL1XR1 mouse monoclonal antibody

别名： transducin beta like 1 X-linked receptor 1; C21; DC42; IRA1; MRD41; TBLR1

相关类别： 一抗

储存： 冷冻（-20℃）

宿主： Mouse

抗原： TBL1XR1

反应种属： Human, Mouse

标记物： Unconjugate

克隆类型： Mouse Monoclonal

技术规格

Background:

This gene is a member of the WD40 repeat-containing gene family and shares sequence similarity with transducin (beta)-like 1X-linked (TBL1X). The protein encoded by this gene is thought to be a component of both nuclear receptor corepressor (N-CoR) and histone deacetylase 3 (HDAC 3) complexes, and is required for transcriptional activation by a variety of transcription factors. Mutations in these gene have been associated with some autism spectrum disorders, and one finding suggests that haploinsufficiency of this gene may be a cause of intellectual disability with dysmorphism. Mutations in this gene as well as recurrent translocations involving this gene

	have also been observed in some tumors.
Applications:	WB, IHC, IF
Name of antibody:	TBL1XR1
Immunogen:	Fusion protein of human TBL1XR1
Full name:	transducin beta like 1 X-linked receptor 1
Synonyms:	C21; DC42; IRA1; MRD41; TBLR1
SwissProt:	Q9BZK7
IHC positive control:	Human breast cancer
IHC Recommend dilution:	500-1000
WB Predicted band size:	56 kDa
WB Positive control:	Mouse brain tissue, Mouse heart tissue and K562 cell lysates
WB Recommended dilution :	1000-5000
IF positive control:	Hela cells
IF Recommend dilution:	100-200



