



小鼠抗 XRCC6 单克隆抗体

中文名称： 小鼠抗 XRCC6 单克隆抗体

英文名称： Anti-XRCC6 mouse monoclonal antibody

别 名： X-ray repair cross complementing 6; ML8; KU70; TLAA; CTC75; CTCBF; G22P1

相关类别： 一抗

储 存： 冷冻 (-20°C)

宿 主： Mouse

抗 原： XRCC6

反应种属： Human, Monkey

标 记 物： Unconjugate

克隆类型： Mouse Monoclonal

技术规格

Background:	The p70/p80 autoantigen is a nuclear complex consisting of two subunits with molecular masses of approximately 70 and 80 kDa. The complex functions as a single-stranded DNA-dependent ATP-dependent helicase. The complex may be involved in the repair of nonhomologous DNA ends such as that required for double-strand break repair, transposition, and V(D)J recombination. High levels of autoantibodies to p70 and p80 have been found in some patients with systemic lupus erythematosus.
Applications:	WB, IF, IP
Name of antibody:	XRCC6
Immunogen:	Fusion protein of human XRCC6
Full name:	X-ray repair cross complementing 6

Synonyms:	ML8; KU70; TLAA; CTC75; CTCBF; G22P1
SwissProt:	P12956
WB Predicted band size:	70 kDa
WB Positive control:	A549, Hela, COS7 and K562 cell lysates
WB Recommended dilution:	1000-5000
IF positive control:	Hela cells
IF Recommend dilution:	100-200



