

兔抗 UBE2N 多克隆抗体

中文名称：兔抗 UBE2N 多克隆抗体

英文名称：Anti-UBE2N rabbit polyclonal antibody

别名：ubiquitin conjugating enzyme E2 N; UBC13; Ubch13; HEL-S-71; Ubch-ben; UBCHBEN; UBC13

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：UBE2N

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	The modification of proteins with ubiquitin is an important cellular mechanism for targeting abnormal or short-lived proteins for degradation. Ubiquitination involves at least three classes of enzymes: ubiquitin-activating enzymes, or E1s, ubiquitin-conjugating enzymes, or E2s, and ubiquitin-protein ligases, or E3s. This gene encodes a member of the E2 ubiquitin-conjugating enzyme family. Studies in mouse suggest that this protein plays a role in DNA postreplication repair.
Applications:	ELISA, WB, IHC
Name of antibody:	UBE2N
Immunogen:	Synthetic peptide of human UBE2N

Full name:	ubiquitin conjugating enzyme E2 N
Synonyms:	UBC13; UbcH13; HEL-S-71; UbcH-ben; UBCHBEN; UBC13
SwissProt:	P61088
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human liver cancer and Human ovarian cancer
IHC Recommend dilution:	50-200
WB Predicted band size:	17 kDa
WB Positive control:	Mouse brain tissue, Hela cell, LNCAP cell, HepG2 cell, Jurkat cell lysates
WB Recommended dilution:	500-2000





