

## 兔抗 HDAC7(Phospho-Ser155) 多克隆抗体

中文名称: 兔抗 HDAC7(Phospho-Ser155) 多克隆抗体

英文名称: Anti-HDAC7(Phospho-Ser155) rabbit polyclonal antibody

别名: HD7A; HDAC7A

相关类别: 一抗

储 存: 冷冻(-20℃) 避光

宿 主: Rabbit

抗 原: HDAC7(Phospho-Ser155)

反应种属: Human Mouse

标记物: Unconjugate

克隆类型: Unconjugate

## 技术规格

Background:	Histones play a critical role in transcriptional regulation, cell cycl e progression, and developmental events. Histone acetylation/de acetylation alters chromosome structure and affects transcription factor access to DNA. The protein encoded by this gene has se quence homology to members of the histone deacetylase family . This gene is orthologous to mouse HDAC7 gene whose protein promotes repression mediated via the transcriptional corepressor SMRT. Alternatively spliced transcript variants encoding different isoforms have been found for this gene. [provided by RefS eq, Jul 2008]
Applications:	WB



Name of antibody:	HDAC7(Phospho-Ser155)
Immunogen:	Peptide sequence around phosphorylation site of Serine 155(T-V -S(p)-E-P) derived from Human HDAC7A.
Full name:	histone deacetylase 7
Synonyms :	HD7A; HDAC7A
SwissProt:	Q8WUI4
WB Predicted band size :	103 kDa
WB Positive control:	Hela cells lysates
WB Recommended dilut ion:	500-1000

