

兔抗 RPL8 多克隆抗体

中文名称：兔抗 RPL8 多克隆抗体

英文名称：Anti-RPL8 rabbit polyclonal antibody

别名：L8

抗原：RPL8

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：Unconjugate

技术规格

Background:

Ribosomes, the organelles that catalyze protein synthesis, consist of a small 40S subunit and a large 60S subunit. Together these subunits are composed of 4 RNA species and approximately 80 structurally distinct proteins. This gene encodes a ribosomal protein that is a component of the 60S subunit. The protein belongs to the L2P family of ribosomal proteins. It is located in the cytoplasm. In rat, the protein associates with the 5.8S rRNA, very likely participates in the binding of aminoacyl-tRNA, and is a constituent of the elongation factor 2-binding site at the ribosomal subunit interface. Alternatively spliced transcript variants en

	coding the same protein exist. As is typical for genes encoding ribosomal proteins, there are multiple processed pseudogenes of this gene dispersed through the genome.
Applications:	ELISA, WB, IHC
Name of antibody:	RPL8
Immunogen:	Fusion protein of human RPL8
Full name:	ribosomal protein L8
Synonyms :	L8
SwissProt:	P62917
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human brain
IHC Recommend dilution:	10-50
WB Predicted band size:	28 kDa
WB Positive control:	HepG2 cell , Mouse brain tissue , Jurkat , MCF-7 , A172 and Raji cell
WB Recommended dilution:	200-1000



