

## 兔抗 SDCBP 多克隆抗体

中文名称: 兔抗 SDCBP 多克隆抗体

英文名称: Anti-SDCBP rabbit polyclonal antibody

别 名: ST1; MDA9; SYCL; MDA-9; TACIP18

储 存: 冷冻(-20℃)

抗 原: SDCBP

宿 主: Rabbit

反应种属: Human, Mouse, Rat

相关类别: 一抗

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

## 技术规格

**Background:** 

The protein encoded by this gene was initially ide ntified as a molecule linking syndecan-mediated si gnaling to the cytoskeleton. The syntenin protein c ontains tandemly repeated PDZ domains that bind the cytoplasmic, C-terminal domains of a variety o f transmembrane proteins. This protein may also a ffect cytoskeletal-membrane organization, cell adhe sion, protein trafficking, and the activation of trans cription factors. The protein is primarily localized t o membrane-associated adherens junctions and fo cal adhesions but is also found at the endoplasmi c reticulum and nucleus.



Applications:	ELISA, WB, IHC
Name of antibody:	SDCBP
Immunogen:	Full length fusion protein
Full name:	syndecan binding protein (syntenin)
Synonyms :	ST1; MDA9; SYCL; MDA-9; TACIP18
SwissProt:	O00560
ELISA Recommended dilution:	2000-5000
IHC positive control:	Human prostate cancer and Human brain
IHC Recommend dilution:	30-150
WB Predicted band size:	32 kDa
WB Positive control:	Human fetal brain tissue and hela cell
WB Recommended dilution:	500-2000





