

兔抗 MYDGF 多克隆抗体

中文名称: 兔抗 MYDGF 多克隆抗体

英文名称: Anti-MYDGF rabbit polyclonal antibody

别 名: myeloid derived growth factor; IL25; IL27; SF20; IL27w; C19orf10; R33729_1;

EUROIMAGE1875335

相关类别: 一抗

储 存: 冷冻(-20℃)

抗 原: MYDGF

宿 主: Rabbit

反应种属: Human, Mouse

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

| Background: | The protein encoded by this gene was previously thou ght to support proliferation of lymphoid cells and was considered an interleukin. However, this activity has no t been reproducible and the function of this protein is currently unknown. |
|-------------------|---|
| Applications: | ELISA, WB, IHC |
| Name of antibody: | MYDGF |
| Immunogen: | Synthetic peptide of human MYDGF |
| Full name: | myeloid derived growth factor |
| Synonyms: | IL25; IL27; SF20; IL27w; C19orf10; R33729_1; EUROIMAG E1875335 |



| SwissProt: | Q969H8 |
|-----------------------------|---|
| ELISA Recommended dilution: | 5000-10000 |
| IHC positive control: | Human colorectal cancer |
| IHC Recommend dilution: | 30-150 |
| WB Predicted band size: | 19 kDa |
| WB Positive control: | 293T and K562 cell, Human between peritoneal stromal sarcoma tissue, HepG2 cell lysates |
| WB Recommended dilution: | 500-2000 |





