

兔抗 UNC13B 多克隆抗体

中文名称: 兔抗 UNC13B 多克隆抗体

英文名称: Anti-UNC13B rabbit polyclonal antibody

别 名: UNC13; MUNC13; Unc13h2

相关类别: 一抗

抗 原: UNC13B

储 存: 冷冻(-20℃)

宿 主: Rabbit

反应种属: Human, Mouse, Rat

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:	This gene is expressed in the kidney cortical epithelial cel Is and is upregulated by hyperglycemia. The encoded pro tein shares a high level of similarity to the rat homolog, and contains 3 C2 domains and a diacylglycerol-binding C1 domain. Hyperglycemia increases the levels of diacylgl ycerol, which has been shown to induce apoptosis in cell s transfected with this gene and thus contribute to the r enal cell complications of hyperglycemia. Studies in other species also indicate a role for this protein in the primin g step of synaptic vesicle exocytosis.
Applications:	ELISA, IHC
Name of antibody:	UNC13B



Immunogen:	Fusion protein of human UNC13B
Full name:	unc-13 homolog B
Synonyms:	UNC13; MUNC13; Unc13h2; munc13-2
SwissProt:	O14795
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human liver cancer and Human lung cancer
IHC Recommend dilution:	50-300





