

## 兔抗 XPNPEP3 多克隆抗体

中文名称: 兔抗 XPNPEP3 多克隆抗体

英文名称: Anti-XPNPEP3 rabbit polyclonal antibody

别 名: X-prolyl aminopeptidase 3; APP3; ICP55; NPHPL1

相关类别: 一抗

储 存: 冷冻(-20℃)

宿 主: Rabbit

抗 原: XPNPEP3

反应种属: Human, Mouse, Rat

标记物: Unconjugate

克隆类型: rabbit polyclonal

## 技术规格

Background:	The protein encoded by this gene belongs to the family of X-pro-aminopeptidases that utilize a metal cofact or, and remove the N-terminal amino acid from peptides with a proline residue in the penultimate position. This protein has been shown to localize to the mitoch ondria of renal cells, and have a role in ciliary function. Mutations in this gene are associated with nephrono phthisis-like nephropathy-1. Alternatively spliced transcript variants encoding different isoforms have been not ed for this gene, however, expression of some of thes e isoforms in vivo is not known.
Applications:	ELISA, WB, IHC



Name of antibody:	XPNPEP3
Immunogen:	Fusion protein of human XPNPEP3
Full name:	X-prolyl aminopeptidase 3
Synonyms:	APP3; ICP55; NPHPL1
SwissProt:	Q9NQH7
<b>ELISA</b> Recommended dilution:	5000-10000
IHC positive control:	Human ovarian cancer and Human tonsil
IHC Recommend dilution:	30-150
WB Predicted band size:	57 kDa
WB Positive control:	PC-3 and 293T cell lysates
WB Recommended dilution:	200-1000







